



hush.

Leaves

Spec Document



Check the product page

Quiet by Design


Leaves

There are numerous places that you can use Hush Leaves, from offices to daycares to schools – the options are endless.

PRODUCT SPECIFICATIONS

Composition	100% PET (Polyethylene Terephthalate); 60% recycled material
Thickness	12mm
Product Placement	Walls
NRC	0.85
Fire Rating	CAN/ULC-S102 Class A ASTM E84 Class A
Sustainability	100% Recyclable
Warranty	2 Year Limited


NOISE REDUCTION COEFFICIENT COMPARISON




Full NRC comparison available upon request



BANANA



FERN



PHILO

Leaves

GREENGUARD® GOLD CERTIFICATION

Hush Acoustics has achieved full GreenGuard® Gold sustainability certification, a mark of excellence that ensures our products meet strict standards for low chemical emissions, promoting healthier indoor air quality.

This recognition gives architects, designers, and consumers confidence in choosing Hush for environmentally responsible solutions. Beyond sustainability, Hush's felt products offer excellent sound-absorbing properties, making them ideal for creating quieter, more comfortable spaces.

SUSTAINABILITY

Manufactured from 100% PET(60% recycled material), our felt products demonstrate our commitment to both environmental stewardship and functional design, contributing to a greener and quieter future. It comprising of flame-retardant fiber as new material ensuring ASTM E84 class A certification. The high strength of PET panels in comparison to its weight is the key to its superior energy efficiency.

FUNGAL RESISTANT

Independently tested by EMSL Canada, Hush P.E.T. felt showed zero mold growth under ASTM C1338 laboratory conditions, confirming exceptional durability.

WARRANTY

2 year limited warranty. See F.A.Q. page on our website for more information.

COMPLIMENTARY DOCUMENTATION



Ceiling Hardware
Install Guide



Felt
Maintenance Guide



Flame
Spread

See Resource Hub page on website for more documentation

FERN

mm

inches

800 x 300

31.5 x 11.8

PHILO

600 x 450

23.3 x 17.7

BANANA

1000 x 300


39.4 x 11.8

* Custom sizes available upon request


Leaves

HOW TO SPECIFY


1. Select Design



Banana




Fern



Philo

2. Select Size

See [page 3](#) for full size chart



3. Select Color




Element



Luxe Series



Wood Grains




Concrete & Stone Grains

Leaves

INSTALLATION INSTRUCTIONS


Shoulder Mount

Page 6



Wall Mount

Page 7




Leaves


INSTALLATION INSTRUCTIONS · SHOULDER MOUNT

1. Locate the Botanical Leaf.


(Note; the top of the Leaf will have a small hole cut out for the installation hardware).




2. Now, locate the shoulder-bracket hardware provided.



3. Align the shoulder brackets with the small cut out hole on the Leaf.



4. Now tighten the bolt hardware.



5. When the hardware has been tightened, the Leaf is now complete and ready to be suspended from the ceiling.

(Please refer to the Ceiling Hardware Install Guide, using the QR code on page 3, for the final steps).




Leaves

INSTALLATION INSTRUCTIONS · WALL MOUNT


1. Locate the back of the Botanical Leaf.
(Note; the back of the Leaf is your choice – depending on the orientation that you choose to install the product).




2. On the back of the Leaf, starting near the top of the Leaf, apply a bead of adhesive that is approximately 1/4" thick.




3. Continue the bead of adhesive across the width of the Leaf.



4. Working quickly, complete the Leaf in a back-and-forth pattern as shown below, making sure to prevent the adhesive from touching or crossing over any cut-out details in the Leaf design.



5. Your Leaf is now ready to be installed on the wall in the desired location. (Please note that the Leaf should be mounted on the wall within 60 seconds of applying adhesive). With the Leaf located on the wall, apply firm pressure evenly over the entire surface of the Leaf and hold it in place for 30 seconds. The Leaf is now installed.



Color Options

PLEASE NOTE: The images are only a sampling of the colors. Order a physical color sample to obtain an accurate representation of our acoustic colors.

ELEMENT



SUNFLOWER



APRICOT



WINE



CHERRY



TAMARIND



SALMON



GOLD



CARAMEL



CINNAMON



PEARL



MAPLE



MOCHA



MOSS



FORREST



CRYSTAL



AQUAMARINE



LAPIS



OCEAN



LAKE




ICE



LILAC



CHARCOAL



SLATE



OYSTER



SHADOW



CASPER



FOG



SNOW



VANILLA

WOOD GRAINS



HONEY PINE



SAND



ANTIQUE OAK




CHERRY




WALNUT




MAHOGANY



BLACK TEAK



ASHWOOD



GREY MAPLE



WHITEMIST

Color Options (cont.)


PLEASE NOTE: The images are only a sampling of the colors. Order a physical color sample to obtain an accurate representation of our acoustic colors.

LUXE SERIES




Color Options (cont.)

CONCRETE & STONE GRAINS



CONCRETE




TERRAZZO GREY




BRECCIA MARBLE



TERRAZZO ORANGE




PANDA MARBLE




BLACK MARBLE



BLACK AND GOLD GRANITE



GRUNGE MARBLE



GREEN QUARTZ



BLUE GRANITE

PLEASE NOTE: The images are only a sampling of the colors. Order a physical color sample to obtain an accurate representation of our acoustic colors.

COLOR MATCH SERVICES

Can't find the tone you're looking for?

Hush Acoustics' felt Color Match services enhance architectural projects with rich visuals and tactile appeal, whether for panels, murals, or other design applications. Our felt brings depth and sophistication to any space, offering a customizable and memorable design element that elevates the overall experience.

With advanced equipment, we produce high-resolution, color-accurate results that capture subtle gradients and find textures, all while maintaining acoustic performance. Every Color Match is carefully managed by our Senior Graphic Designer to ensure that the final output closely aligns with the designer's original vision.

Commonly Matched Materials (matte finishes only):

Wall Paints

Dulux, Benjamin Moore, Behr, and other popular brands

Fabric

From linen to wool, we match not just the color, but also the texture in most of the cases

Wood Laminates

WilsonArt and other popular brands

Pantone® Hues

We simulate your company's brand tones using the Pantone® Uncoated palette

Stones

We can simulate a wide variety of stone types based on your needs

Generic Textures

Get in touch with our Acoustic Specialists, we will be glad to assist you

Learn More

COLOR MATCH
SERVICES





Banana Fern, & Philo Leaves · Forrest · Lounge

hush.

Tailored for Architects,
Interior Designers, and
General Contractors, we serve
as a fast, expert, and reliable
partner for all your project ideas.

Quiet by Design



Proudly Made
in North America



2 Year
Limited Warranty



**GreenGuard Gold®
Certified**
All Hush products
exceed GreenGuard
Gold® indoor air
quality standards



**Fungal Resistant
Certified**
EMSL Canada verified
zero mold growth
for Hush P.E.T. felt
(ASTM C1338).

hello@hushacoustics.ca · 1.332.266.9107
733 3rd Ave · Floor 16 #1067
New York, NY 10017 United States

Follow us on Instagram
@hush.acoustics



[hushacousticsUSA.com](https://www.hushacousticsUSA.com)